

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1.-8. (Canceled).

9.-18. (Canceled).


19. (New) A method of enhancing the photostability of an encapsulated cinnamate derivative in a topical sunscreen composition which comprises introducing into such sunscreen composition an effective amount of at least one additional non-encapsulated sunscreen which is selected from a UV-B or a broad spectrum sunscreen.

20. (Previously Presented) The method as in claim 19, wherein the encapsulated cinnamate is one prepared by the sol-gel method, a solvent evaporation method, a coacervation method, an interfacial polymerization method or an emulsion/interfacial emulsion polymerization method.

21. (Previously Presented) The method as in claim 19, wherein the microcapsules have as a core a cinnamic acid derivative which is surrounded by a shell of silicon based polymer such as 'sol-gel glass', a silicon-based network polymer, a 'silicone-resin polypeptide', a polyurea, a polyurethane, a polyamide, a polyester or a combination thereof.

22. (Previously Presented) The method as in claim 20, wherein the encapsulating cinnamate is prepared by the sol-gel method.

23. (Previously Presented) The method as in claim 19, wherein the cinnamate is of the formula I



wherein R^1 , R^2 , are, independently, hydrogen or saturated straight or branched chain alkyl containing 1 to 21, preferably 1 to 8 carbon atoms, such as methyl, ethyl, propyl, isopropyl, butyl, sec. butyl, isobutyl, pentyl, neopentyl, hexyl, 2-ethyl-hexyl, and octyl.

24. (Previously Presented) The method as in claim 23, wherein the cinnamate is 2-ethylhexyl-p-methoxycinnamate.

25. (Previously Presented) The method as in claim 19, wherein the additional non-encapsulated UV-B or broadband sunscreen is selected from acrylates, camphor derivatives, cinnamate derivatives, p-aminobenzoic acid derivatives, benzophenones, esters of benzalmalonic acid, esters of 2-(4-ethoxy-anilinomethylene)propandioic acid, organosiloxane compounds containing benzmalonate groups, drometrizole trisiloxane, pigments imidazole derivatives, salicylate derivatives or triazine derivatives.

26. (Previously Presented) The method as in claim 19, wherein the additional non-encapsulated sunscreen are selected from DEA-Methoxycinnamate, diethylhexyl butamido triazine, diisopropyl methyl cinnamate, drometrizole trisiloxane, benzophenone-3, benzophenone-4, 3-benzylidene camphor, benzylidene camphor sulfonic acid, bis-ethylhexyloxyphenol methoxyphenyl triazine, camphor benzalkonium methosulfate, ethyl diisopropylcinnamate, 2-ethylhexyl dimethoxybenzylidene dioximidazolidine propionate, ethylhexyl dimethyl PABA, ethylhexyl salicylate, ethylhexyl triazone, ethyl PABA, homosalate, isoamyl p-methoxycinnamate, menthyl anthranilate, 4-methylbenzylidene camphor, methylene-bis-benzotriazolyl tetramethylbutylphenol, octocrylene, PABA, phenylbenzimidazole sulfonic

acid, polyacrylamidomethyl benzylidene camphor, polysilicone-15, potassium phenylbenzimidazole sulfonate, sodium phenylbenzimidazole sulfonate, TEA-salicylate, terephthalidene dicamphor sulfonic acid, 2,2-(1,4-phenylene)bis-(1H-benzimidazol-4,6-disulfonic acid, and microfine titanium dioxide.